Balloo

Hire Centres

a Briggs Equipment company



Eco-Friendly Equipment

Specialised Low & Zero Emissions



The World is Changing

Each year, Balloo Hire invest millions of pounds into new equipment and fleet that produce less carbon, less particulates and need less maintenance and servicing. Our strategy is to operate an environmentally responsible fleet of machines, from fully electric to hybrid solutions.

The threats of climate change, resource depletion and pollution mean that we, like every other company in the world, must realign our responsibilities and rise to new challenges.

Using zero-emission equipment is an excellent way to reduce your carbon footprint while still getting the job done. Whether you are a construction company, landscaper, event organisor, DIYer or farmer, we have electric and battery-powered tools and equipment available to suit a range of needs. Our hire equipment offer all the power you need without emitting any harmful pollutants. These eco-friendly options not only help protect the environment, but they can also help you save money on fuel costs and reduce maintenance expenses. We are always investigating alternative energy sources and solutions, to help give our customers a choice to move away from traditional ways of working.

ZERO EMISSIONS 100% ELECTRIC

Battery Powered

ZERO EMISSION

ZERO Emission

Why Go Green?

Our hybrid and battery machines can help your business or project reduce its carbon footprint. Help to reduce fuel consumption and reduce your CO_2 emissions.

Further advantages of a hybrid or battery powered machine is its silent operation, especially important in buildings or projects in noise sensitive environments.

Operating costs are up to 60% lower compared to diesel or petrol powered machines.By choosing to use our zero-emission equipment, you can contribute to a more sustainable future while still achieving your goals. Let our team at Balloo Hire know if you need any more information or assistance in finding the right zero-emission tools for your needs by emailing us at saleshub@balloohire.com.

Certificate Number 10470
ISO 9001
ISO 45001





7.8m Electric Scissor Lift
GN1932 *(Sinoboom)*

Known for its performance & reliability and can easily pass through standard single or double doors. It functions on firm, level surfaces, providing accessibility for a wide variety of applications.

Working Height	**7.8m**
Platform Height	**5.8m**
Platform Size	**1.64 x 0.76m**
Platform Size Extended	**2.54 x 0.76m**
SWL	**230 kg**
Power	**Battery**
Closed Height - Rails Folded	**1.88m**
Closed Height - Rails Up	**2.14m**
Closed Width	**0.81m**
Closed Length	**1.8m**
Weight	**1,575kg**



10.1m Narrow Electric Scissor Lift
GN2732 *(Sinoboom)*

A narrower machine in our access equipment range and can access heights up to 10.1m indoors.

Working Height	**10.1m**
Platform Height	**8.1m**
Platform Size	**2.3 x 0.8m**
Platform Size Extended	**3.2 x 0.8m**
SWL	**250kg**
Power	**Battery**
Closed Height - Rails Folded	**1.96m**
Closed Height - Rails Up	**2.36m**
Closed Width	**0.83m**
Closed Length	**2.46m**
Weight	**2,265kg**







9.8m Electric Scissor Lift
GS2646 *(Genie)*

The Genie GS-2646 balances robust design and durability with excellent performance and ease of use. Suitable for work indoors and outdoors on firm, level surfaces where space is limited.

Working Height	**9.8m**
Platform Height	**7.8m**
Platform Size	**2.26 x 1.15m**
Platform Size Extended	**3.18 x 1.15m**
SWL	**454kg**
Power	**Battery**
Closed Height - Rails Folded	**1.68m**
Closed Height - Rails Up	**2.26m**
Closed Width	**1.17m**
Closed Length	**2.41m**
Weight	**2,412kg**



11.7m Narrow Electric Scissor Lift
GS3232 *(Genie)*

Features non-marking tyres and is narrow aisle which is ideal for indoor use. It is perfect for office fitting, retail, mechanical engineering, joinery, facilities management, electrical contracting, cleaning, plumbing, warehousing and decorating.

Working Height	**11.75m**
Platform Height	**9.75m**
Platform Size	**2.26 x 0.81m**
Platform Size Extended	**3.18 x 0.81m**
SWL	**227m**
Power	**Battery**
Closed Height - Rails Folded	**2.03m**
Closed Height - Rails Up	**2.43m**
Closed Width	**0.81m**
Closed Length	**2.43m**
Weight	**2,352kg**



12m Electric Scissor Lift
GN3346 *(Sinoboom)*

Ideal for manoeuvring in tight spaces and are excellent for indoor and outdoor construction, maintenance and installation applications with firm, level surfaces.

Working Height	**12m**
Platform Height	**10m**
Platform Size	**2.3 x 1.15m**
Platform Size Extended	**3.18 x 1.15m**
SWL	**320kg**
Power	**Battery**
Closed Height - Rails Folded	**1.86m**
Closed Height - Rails Up	**2.48m**
Closed Width	**1.17m**
Closed Length	**2.45m**
Weight	**2,815kg**



13.9m Electric Scissor Lift
GN4047 *(Sinoboom)*

New wide scissor design, for a more stable working-at-height experience. Bumper rail and indented sliding groove designed for anti-scratch.

Working Height	**13.9m**
Platform Height	**11.9m**
Platform Size	**2.3 x 1.15m**
Platform Size Extended	**3.18 x 1.15m**
SWL	**320kg**
Power	**Battery**
Closed Height - Rails Folded	**1.98m**
Closed Height - Rails Up	**2.6m**
Closed Width	**1.17m**
Closed Length	**2.45m**
Weight	**3,210kg**











15.8m Electric Scissor Lift GN4647EPlus *(Sinoboom)*

Ideal for manoeuvring in tight spaces and are excellent for indoor construction, maintenance and installation applications with firm, level surfaces. Capable of driving at full height.


Working Height	**15.8m**
Platform Height	**13.8m**
Platform Size	**2.64 x 1.15m**
Platform Size Extended	**3.5 x 1.15m**
SWL	**350kg**
Power	**Battery**
Closed Height - Rails Folded	**1.96m**
Closed Height - Rails Up	**2.6m**
Closed Width	**1.27m**
Closed Length	**2.78m**
Weight	**3,375kg**



14.2 Electric Scissor Lift 4069RE *(Sinoboom)*

This compact rough terrain model has outriggers with one-click levelling, making easy work on uneven surfaces.

Working Height	**14.2m**
Platform Height	**12.2m**
Platform Size	**2.8 x 1.6m**
Platform Size Extended	**4.3 x 1.6m**
SWL	**365kg**
Power	**Battery**
Closed Height - Rails Folded	**2.11m**
Closed Height - Rails Up	**2.75m**
Closed Width	**1.77m**
Closed Length	**3.8m**
Weight	**5,580kg**



18.2m Electric Scissor Lift GN5389RE 4x4 *(Sinoboom)*

Offering a spacious, 2-way extendable platform, one-click outrigger levelling, and 4 wheel drive for strong off road performance, without noise pollution.

Working Height	**18.2m**
Platform Height	**16.2m**
Platform Size	**3.96 x 1.82m**
Platform Size Extended	**6.68 x 1.82m**
SWL	**680kg**
Power	**Battery**
Closed Height - Rails Folded	**2.44m**
Closed Height - Rails Up	**3.21m**
Closed Width	**2.28m**
Closed Length	**4.88m**
Weight	**9,250kg**



22m Electric Scissor Lift ES2212DCn *(Dingli)*

Added features include the automatic pothole protection and a unique design of the machine closer to the ground, which increases the overall stability of the platform. With 4 wheel steering and capable of driving at full height.

Working Height	**22m**
Platform Height	**20m**
Platform Size	**4.3 x 1.19m**
Platform Size Extended	**6 x 1.19m**
SWL	**600kg**
Power	**Battery**
Closed Height - Rails Folded	**2.99m**
Closed Height - Rails Up	**3.82m**
Closed Width	**1.25m**
Closed Length	**4.72m**
Weight	**12,350kg**













11.2m Electric Vertical Mast Lift AMWP11.5 *(Dingli)*

A compact machine that allows easy access into confined spaces making it ideal for those hard to reach jobs. This lightweight machine is easy to transport and its flexible working envelope gets you where you need to be quickly and safely.

Working Height	**11.2m**
Platform Height	**9.2m**
Max Outreach	**3m**
Platform Size	**0.87 x 0.62m**
SWL	**200kg**
Power	**Battery**
Rotation	**345°**
Closed Height	**1.99m**
Closed Width	**1m**
Closed Length	**2.72m**
Weight	**2,950kg**





10.9m Narrow Electric Boom Lift Z30/20N RJ *(Genie)*

With this narrow Genie model, operators can drive through standard doorways easily, work close to buildings or around obstacles, and access overhead work from aisles or areas where space is limited. The rotating jib provides an industry-leading 180 degree horizontal rotation.

Working Height	**10.89m**
Platform Height	**8.89m**
Max Outreach	**6.25m**
Platform Size	**1.17 x 0.76m**
SWL	**227kg**
Power	**Battery**
Rotation	**355°**
Closed Height	**2m**
Closed Width	**1.19m**
Closed Length	**5.31m**
Weight	**6,450kg**





13.5m Electric Articulating Boom Lift A38E *(Snorkel)*

With an impressive height-to-weight ratio, ideal for job sites with reduced floor loadings. A superb working envelope and proportional controls for precise positioning.

Working Height	**13.5m**
Platform Height	**11.50m**
Max Outreach	**6.1m**
Platform Size	**1.11 x 0.69m**
SWL	**215kg**
Power	**Battery**
Rotation	**360°**
Closed Height	**2m**
Closed Width	**1.5m**
Closed Length	**4.10m**
Weight	**3,880kg**



15.9m Hybrid-Energy Articulating Boom Lift Z45/25J Bi *(Genie)*

Operators can easily work close to buildings or around obstacles, and access overhead work from aisles and other congested areas. Equiped with on-board diesel alternator for the most demanding jobsites.

Working Height	**15.94m**
Platform Height	**13.94m**
Max Outreach	**7.65m**
Platform Size	**1.83 x 0.76m**
SWL	**227kg**
Power	**Battery**
Rotation	**355°**
Closed Height	**2m**
Closed Width	**1.79m**
Closed Length	**6.83m**
Weight	**7,620kg**



16m Electric Articulating Boom Lift AB14EJ *(Sinoboom)*

With 3 joysticks with variable proportional control, boom swing, boom extension, turntable rotation and walking speed, smooth start and stop motion, accuracy in reaching the operation target.

Working Height	**16m**
Platform Height	**14m**
Max Outreach	**7.6m**
Platform Size	**1.45 x 0.85m**
SWL	**230kg**
Power	**Battery**
Rotation	**355°**
Closed Height	**2m**
Closed Width	**1.73m**
Closed Length	**6m**
Weight	**7,100kg**



17.7m Electric Articulating Boom Lift AB16EJ *(Sinoboom)*

Suitable for narrow spaces at just 1.9m wide and almost zero tailswing. Variable proportional controls and long battery life.

Working Height	**17.7m**
Platform Height	**15.7m**
Max Outreach	**9.3m**
Platform Size	**1.45 x 0.85m**
SWL	**230kg**
Power	**Battery**
Rotation	**355°**
Closed Height	**2m**
Closed Width	**1.9m**
Closed Length	**6.8m**
Weight	**7,300kg**











20.2m Electric Articulating Boom Lift AB18EJ 4x4 *(Sinoboom)*

Offering quiet, emission-free operation in the most sensitive work environments within indoor and the power of diesel outdoor applications. Excellent manoeuvrability, with 4 wheel drive and standard active oscillation.

Working Height	**20.2m**
Platform Height	**18.2m**
Max Outreach	**11.5m**
Platform Size	**2.44 x 0.91m**
SWL	**230kg**
Power	**Battery**
Rotation	**355°**
Closed Height	**2.56m**
Closed Width	**2.49m**
Closed Length	**8.7m**
Weight	**8,300kg**



28.3m Electric Telescopic Boom Lift TB860EJ 4x4 *(Sinoboom)*


Offering quiet, emission-free operation in the most sensitive work environments within indoor and the power of diesel outdoor applications. 4 wheel drive and variable proportional controls provide precision performance.

Working Height	**28.3m**
Platform Height	**26.3m**
Max Outreach	**18.65m**
Platform Size	**2.44 x 0.91m**
SWL	**454kg**
Power	**Battery**
Rotation	**360°**
Closed Height	**2.88m**
Closed Width	**2.49m**
Closed Length	**12.5m**
Weight	**18,059kg**











12.2m Trailer Mount Hybrid Energy *(Nifty Lift)*

A robust and versatile machine, It has retractable axles that allow it to pass through a 1.1m wide opening. Operation is quick, easy and precise, battery power pack enables the trailer mount to work inside and out quietly and with zero emissions.

Working Height	**12.2m**
Platform Height	**10.20m**
Max Outreach	**6.1m**
Platform Size	**1.1 x 0.65m**
SWL	**200kg**
Power	**Battery & Petrol**
Rotation	**355°**
Closed Height	**1.90m**
Closed Width (Retracted)	**1.5m (1.1m)**
Closed Length	**4.5m**
Weight	**1,400kg**





17.1m Trailer Mount Hybrid Energy *(Nifty Lift)*

Octagonal boom sections provide the 17m trailer mount strength without compromising on weight and the telescopic upper boom improves accuracy when positioning the platform.

Working Height	**17.1m**
Platform Height	**15.1m**
Max Outreach	**8.7m**
Platform Size	**1.1 x 0.65m**
SWL	**200kg**
Power	**Battery & Diesel**
Rotation	**355°**
Closed Height	**2.15m**
Closed Width	**1.65m**
Closed Length	**6.2m**
Weight	**2,160kg**






14.9m Hybrid-Energy Tracked Boom Lift *(CMC)*

The machine features the most compact dimensions of any Spider lift in this height range, enabling it to fit though a single doorway width (780mm)

Working Height	**14.9m**
Platform Height	**12.9m**
Max Outreach	**6.9m**
Platform Size	**1.2 x 0.7m**
SWL	**230 kg**
Power	**Mains Electric & Diesel**
Rotation	**360°**
Closed Height	**1.98m**
Closed Width (Basket Removed)	**1.4m (0.77m)**
Closed Length	**4.13 m**
Weight	**1960kg**







X-Eco Hybrid Lithium 6x100W

The Trime X-ECO HYBRID LITHIUM 6x100W tower light is a leader in sustainability; with a lithium battery that provides 11.5 hours of silent run time that can be recharged in 3 hours, it offers an estimated 99% fuel cost savings based on work time of 8 hours a day, 7 days a week.

Power	**Hybrid - Diesel and Lithium Battery**
Max Height	**230-240V & 12V**
Min. Dimensions (LxWxH)	**9.8kg**
Max. Dimensions (LxWxH)	**1030 LM each side**
Weight	**6hrs**
Battery Run Time	**12hr (6hr)**
Run Time Before Refuel	**1100mm**
Fuel Tank	**600mm**
Rotation	**334 x 220mm**



12V Exin Smith Light IN120L

The Exin-Light IN120L portable light is a fully self-contained waterproof unit with a rechargeable battery. Lightweight and portable it features a single and double-sided light option. Can be used in both wet and dry environments, fully CE compliant and manufactured to meet IP65.

Power	**Battery**
Power Voltage (AC/DC)	**230-240V & 12V**
Weight	**9.8kg**
Lumens	**1030 LM each side**
Charge Time	**6hrs**
Run time: 1 Light head (2 Light heads)	**12hr (6hr)**
Open Height	**1100mm**
Closed Height	**600mm**
Width x Depth	**334 x 220mm**
Light Mode	**2-stages LED**



18V Rocket LED Tower Light M18

Features Trueview HD lighting technology. Impact-resistant adjustable head with polycarbonate lens. Can be rotated 230° vertically and pivoted 240° horizontally.

Power	**Li-ion**
Voltage	**18V**
Weight With Battery Pack	**7.3kg**
Charge Time	**100 min**
Run Time: Low / Med / High	**8/10/14 hrs**
Battery Power	**5.0Ah**
Closed Height	**1.1m**
Width x Depth	**225 x 236mm**
Light Mode	**LED**








H & W
Balloo
Hire Centres
a Briggs Equipment company
0800 1 970 970
ELECTRIC
ZERO EMISSION
JCB
525-60E
77 AZ6D
PT7206



1.9T Electric Mini Digger *(JCB)*

Our all electric diggers are zero emissions, with less noise and zero compromise on performance on the fossil fuel driven equivalent.

The industry's first electric mini excavator leads the way in clean technology and reducing harmful emissions.

Power	**Battery**
Charge Time	**4 hr**
H x W	**2.34 x 0.98m**
Operating Weight	**2,037kg**
Max Digging Reach	**4,043mm**
Max Digging Depth - Dozer Down	**2,576mm**







Electric 4x4 Mini Dumper

Our all electric dumpers mean operators get a quiet and environmentally friendly option.

Perfect for the garden, domestic application or sound sensitive environments such as indoors, facilities management or work on live buildings like hospitals, and it is more environmentally friendly!

Power	**Battery/ Mains Electric**
Charge Time	**Overnight**
Battery Time	**8hr**
H x W	**1,101 x 850mm**
Capacity	**300kg**
Noise Level	**<69Db**



6m Electric Telescopic Handler *(JCB)*

The all electric telehandler are zero emissions, with less noise and zero compromise on performance on the fossil fuel driven equivalent. Suitable for work indoors and in emission restricted zones without extraction equipment. 24kWh battery will power a full day's work on a single charge while 4WD and three steering modes promise you maximum productivity.

This telehandler has three charging capabilities: 110v, 230v and 415v and is built to be fast charge ready.

Power	**Battery**
Charge Time	**8hr**
Battery Time	**8hr**
H x W x L	**1.89 x 1.84 x 4m**
Capacity (full height)	**2,000kg**
Capacity (full reach)	**720kg**









18V Cordless Circular Saw

Our powerful 6.5” circular saws will ensure the precise and accurate cutting of all types of wood. Cordless means you can take this saw with you to jobs that don’t have mains power.

Power	**Battery**
Power Voltage	**18V**
Size	**228 x 340mm**
Blade Diameter	**165mm**
Blade Bore Diameter	**20mm**
Max cutting capacity in wood 90°	**51mm**
Max cutting capacity in wood 45°	**40mm**
No Load Speed	**3,800rpm**





18V Cordless Grinder

Compact, lightweight angle grinder with brushless motor. Slim grip size and keyless guard ensure convenient and comfortable working.

Power	**Li-ion**
Power Voltage	**18V**
Size - Length	**293mm**
Blade Diameter	**115mm**
Disc Bore Diameter	**22mm**
Battery Technology	**Coolpack**
No Load Speed	**11,000rpm**



18V-Li HT GDS

Delivers a high torque of 650 Nm, making it ideal even for the toughest metal bolting applications. It’s metal housing make this impact wrench extremely rugged and robust. The slim and ergonomic handle design provides comfortable handling for less user fatigue even in enduring jobs.

Power	**Li-ion**
Power Voltage	**18V**
Weight (incl. battery)	**(kg)**
Battery Capacity	**5Ah**
No-load speed*	**0-1, 900rpm**
No-load speed (1st level)*	**0-1, 900rpm**
Torque, max.*	**650 Nm**
Impact rate	**0-2, 100bpm**
Tool Holder	**1/2” Square**







18V Cordless Drill SB18 LTXI BLI

These cordless drills enable light fixing or drilling work to be carried out where no power source is readily or safely available. Two speed and reversible settings built in and is suitable for drilling into metal, wood and screwdriving.

Power	**Battery**
Power Voltage	**18V**
Weight (incl battery)	**2.3kg**
Drill Steel	**13mm**
Drill soft wood	**65mm**
Chuck capacity	**1.5 - 13mm**
Battery Pack	**2 x 5.2Ah**
Max Torque soft/hard	**60Nm / 120Nm**



36V Core Drill DM 540i

Being battery powered and emitting no hazardous fumes, the DM 540i is perfect for a variety of telecoms works and other similar wet or dry drilling applications in confined spaces or poorly ventilated areas like inside concrete manhole rings etc.

Power	**Li-ion**
Power Voltage	**36V**
Weight (excl. battery)	**4.9kg**
Spindle Speeds (Unloaded)	**Speed 1: 770-2400rpm Speed 2: 1400-4450rpm**
Motor Power	**1.35kW**
Core Range	**15-100mm**



36V Cordless Drill TE6A

Highly portable cordless rotary hammer drill. The drill is capable to drilling from 5mm to 20mm holes. Lightweight and well balanced for all drilling especially in concrete, stone and masonry.

Power	**Li-ion**
Power Voltage	**36V**
Weight (excl. battery)	**3.7kg**
Optimum hammer drilling range	**6 - 16mm**
Hammer drilling diameter range	**4 - 20mm**
Single impact energy	**2.5KJ**
Hammer drilling RPM	**1050 tours/ mins**
Full hammering frequency	**5100 impacts/ mins**




18V Caulk Gun c18 PCG

High performance caulk gun with 310ml cannister, pistol-grip handle and LED work light. RedLink overload protection and constant speed electronics deliver durability and performance. Includes 2.0Ah battery and supplied in a carry bag.

Power	**Li-Ion**
Power Voltage	**18V**
Weight (incl. battery)	**(1.9kg)**
Battery Capacity	**2.0Ah**
Charge Time	**26min**
Capacity	**310ml**
Length	**470mm**
Switch Type	**Trigger Switch**













Electronic Variable Message Sign (300 Series)

Our MacGen Traffic Variable Message Signs (VMS) are solar powered and capable of displaying any range of text message, graphic or animation in amber or 5 colour mode. The versatile design and simplistic management software makes our VMS signs both easy to transport, maintain and manage.

Power	**Battery**
Power Voltage (DC)	**12V Solar**
Weight	**180kg**
Size	**2450 x 1470 x 140mm**
Board Size	**2200 x 1280mm**
LED Colour	**5 Colour (Amber, Red, Blue, Green, White)**



Mobile Glass Lifting Robot (Winlet 350)

The Winlet 350 robot revolutionises the installation of glass, with capacities of up to 350kg and overhead installation all within a compact design for work in confined areas.

Power	**Battery**
Voltage	**110V**
Total Machine Weight	**617kg**
Max. Lifting Capacity	**350kg**
Max. Working Height	**2,800mm**
Max. Extension	**790mm**





CALL OUR HIRE DESK TODAY 0800 1 970 970



56V Self-Propelled Mower HT5100E

A large 52cm cutting deck makes this cordless mower perfect for mowing large gardens. Self-propelled with an automatic variable cutting speed, it's designed to take the strain off the user. Enjoy the benefits of the automatic variable cutting speed to help make your work a breeze. Leave petrol in the past and enjoy a cleaner, quieter and safer future.

Power	**Battery**
Voltage	**56V**
Battery port	**Single port**
Brushless motor	**Brushless**
Handlebar Poistions	**3**
SP Drive Mode	**RWD**
No load speed	**2700rpm**
Blade length	**520mm**
Deck Size	**530mm**
Collector Capacity	**70L**



Cordless Strimmer EA0800

The handy lightweight strimmer, adding the finishing touches in garden care or landscape maintenance.

Cordless means you can go anywhere in the garden, be more environmentally friendly and quieter too! Small areas of grass can also be mowed quickly with these machines.

Power	**Battery**
Weight (excl. battery)	**Line Trimmer Head 4.35kg**
Cutting Width	**Line Trimmer 380mm**
Run Time 5.0ah	**Up to 40min**
No Load Speed	**4,500 - 6,000rpm**
Auxiliary Handle	**Bike Handle**



56V Cordless Hedge Strimmer HT5100E

Our battery powered hedge cutter features a long length, dual knife-edge, laser-cut diamond ground blade for precise clean cuts. The two-speed selector lets you choose the right speed for every task and the large cutting capacity means you can get to work on larger hedges with thicker branches and stems.

Power	**Battery**
Voltage	**56V**
Battery port	**Single port**
Brushless motor	**Brushless**
Blade treatment	**Laser cut**
Dual action	**Yes**
No load speed	**2,800/ 3,200spm**
Blade length	**510mm**
Cutting capacity	**33mm**
Blade tooth depth	**20**



56V Cordless Long Reach Hedge Strimmer PH1400E

Our long reach battery powered hedge cutter features a longer length, dual knife-edge, laser-cut diamond ground blade for precise clean cuts. The two-speed selector lets you choose the right speed for every task and the large cutting capacity means you can get to work on larger hedges with thicker branches and stems

Power	**Battery**
Voltage	**56V**
Battery port	**Single port**
Brushless motor	**Brushless**
Rotating direction	**Counter-clockwise**
Shaft material	**7mm solid steel**
Auxiliary handle adjusting type	**Screw adjust**
Tool length	**97mm**
Run time 7.5ah	**Up to 110min**













24V Scrubmaster B30

The compact walk-behind scrubber-drier Scrubmaster B30 is ideal for scrubbing & drying small to medium-sized areas, for example the floors of retail stores, administration buildings, hotels and restaurants or workshops. With its high cleaning performance of up to 1,900 m²/h, this machine provides excellent results and impeccably clean floors.

Power	**24V (80Ah Battery)**
Charge Time	**8hrs**
Squeegee width	**760mm**
Theoretical area coverage	**1,700m°**
Brush diameter	**430mm**
Working width,scrubbing	**430mm**
Working speed to	**4 km/h**
Operating time (max.)	**110min**
Tank Size	**30L**
Total output	**1.13kW**
W x L x H	**760 x 1,270 x 1,100mm**



24V Sweepmaster B800

The Sweepmaster 800 series is perfect for more substantial industrial and commercial areas, such as factories and larger shopping centres. It is as efficient as a warehouse sweeper as it is in a hospital or petrol station forecourt environment.

Power	**24V (70Ah Battery)**
Run Time	**120min**
Charge Time	**8hrs**
Sweeping Width	**670mm**
Sweeping Performance	**3,350m2/h**
Sweeping Width with Side Brush	**870mm**
Sweeping Performance with side brush	**4,350m2/h**
Sweeping Speed	**5km/h**
Dirt Hopper Volume	**2 x 25L**
Weight (ready to use)	**165kg**
W x L x H (Folded)	**800 x 1,100 x 715mm**







Compact Road Sweeper

This Compact Sweeper is a high-performance, environmentally friendly street sweeper designed for urban areas, parks, and tight spaces.

Its compact design allows for easy maneuverability in narrow streets, while its powerful suction and advanced sweeping technology ensure efficient and thorough cleaning. With a spacious hopper and low noise emissions, the C202 offers maximum productivity without disrupting the environment.

Whether you're maintaining public spaces, congested city centres or open commercial properties, the Bucher C202 delivers a superior performance, reliable and is a cost-effective sweeper with minimal environmental impact.

Dimensions (LxWxH)	**4270 x 1315 x 1985mm**
Wheelbase	**1550mm**
Track	**1143 / 1158mm**
Unlaiden Weight	**2850kg**
Payload	**1650kg**
Working Speed	**0-10mph**
Travelling Speed	**0-31mph**
Climbing Ability	**30%**







Golf Buggy (4+2 Seater)

Our golf buddy vehicle is full of versatility and power, that's the Sirius 4+2. The 4+2 feature allows the option to flip the two rear seats and carry up to 150kg instead. Designed to deliver superior style and performance, this range has smart technologies and luxury features not found in any other brand.

The versatility of the 4+2 seater will make good use of your time and resources by allowing you to switch between extra passengers or extra cargo with the flip of the double rear seats. With a capacity of up to six passengers and 150kg cargo load, this compact buggy does more than expected with all the features and add-ons you could possibly want.

Power	**Battery**
Recharge Time	**8-9 hours**
Motor	**5Kw AC with thermal protection**
Load Capacity	**454kg (6 Passengers)**
Overall Dimensions (LxWxH)	**356 x 119 x 201cm**
Top Speed	**25mph**
Turning Radius	**4.6m**
Mile Range	**60-80 miles**
Highway Use	**This vehicle is able to be registered for the roads in the UK for Limited use**









Portable Charging Station

This charging station has been designed to provide a portable and temporary solution for charging electric vehicles in a compact and durable cube. By connecting the unit to a 3 phase power supply it provides 3 x 7.2kW fast charge Type 2 sockets for up to 3 EVs. It is a complete product with carrying handles, mounting feet, as well as an integrated protection switch and charge status indicators.

Power	**Electric**
Ouput	**7.2kW**
Rated Current	**32A**
Input Voltage	**3 Phase 32A 400V**
Standby Consumption	**Approx. 0.3kWh per day**
Dimensions	**400mm x 487.5mm x 455mm (W x H x D)**
Operating Temperature	**-30ºC to +50ºC**





3KW.h Portable Power Station VXL3000

This Portable Battery Pack offers a clean, quiet, eco-concious, fumeless power. At the same time as reducing your Productions Carbon Footprint, it helps to mitigate your Generator running hours - no more Petrol/ Diesel Generators chugging away on-set.

Power	**Lithium Battery**
AC Current Ouput	**10A / 20A**
AC Voltage Output	**220V**
Peak Power	**3600W / 3000W**
Battery Capacity	**48V / 60Ah**
Charging Time	**6 hrs**
Package Size	**620 x 600 x 350mm**
Weight	**30kg**





9.4 KW.h Portable Power Station VXL9400

This Portable Battery Pack offers a clean, quiet, eco-concious, fumeless power. At the same time as reducing your Productions Carbon Footprint, it helps to mitigate your Generator running hours - no more Petrol/ Diesel Generators chugging away on-set.

Power	**Lithium Battery**
AC Current Ouput	**10A / 20A**
AC Voltage Output	**220V**
Peak Power	**9400W / 9000W**
Battery Capacity	**48.1V/ / 195Ah**
Charging Time	**10 hrs**
Package Size	**554 x 358 x 329mm**
Weight	**47.4kg**







Hussh Pod Battery Generator 30/45

The Hussh Pod 30/45 has unparalleled performance - reducing both harmful emissions and noise pollution. A powerful, silent battery power unit, it has a 30kVA three phase inverter and 45kwh of useable stored power - enough to power most small to medium site aplications. With access to each individual Hussh pod's energy consumption data, you can see when, where and how much energy is being used. Showing how much your Co2 emissions are being reduced - along with fuel savings both on site and the logistical fuel deliveries.

Power	**Battery**
Power Voltage	**45kVA**
Voltage	**400/230V**
Frequency	**50Hz**



45/90 KVA Battery Energy Storage

Ideally suited to a range of applications, delivering reliable power in the most cost effective and environmentally sensitive way. Energy stored within the unit is converted electronically into mains power. Remote communication ensures real time monitoring and maintenance can be effected from any location in the world.

Power	**Lead Acid**
Power Voltage	**45kVA**
Voltage	**400/230V**
Frequency	**50Hz**



Battery Charging Station

This Battery Charging Station is a secure solution for safe, segregated battery charging on site. Power tools and mobile devices are especially vulnerable to theft when being charged on site. Our Battery Charging Station is a bank of secure charging lockers that allows you to charge your equipment unattended, confident in the knowledge that it is safe from thieves.


Power	**16amp 230V Single Phase**
Individual lock compartments	**20**
Dimensions	**1117.6 x 1117.6 x 2311.4mm (W x D x H)**











Anti-Vandal Units

A traditional 20ft unit with a 2000kw convector heater and two fluorsecent batton lights, running for 38hrs per week x 48 wks per year would cost £720.00.

Our 20ft Unit with a 750watts energy efficient oil filled heater, double glazed windows and LED strip lighting could cost £261.01 = A potential annual saving of £459.00 per unit.

Build	**2mm Corten Steel**
Wall Rigid Insulation	**60 & 40mm**
Floor Plan Size	**6m x 2.4m (20ft x 8ft)**
Surface	**Matt White Surface**
Internal Walls	**Seamless no joints every 1.2m**
Additional Features	**Double glazed windows, USB Charging and more**
















12ft Towable Welfare Unit (7 Person)

Our 12ft Towable Welfare units are designed to be compact, lightweight, eco-friendly and easy to transport and accommodate up to 7 people. The single axle design makes it easy to transport and meets all of the HSE welfare on-site standards. Power is provided by the integrated silenced hybrid diesel generator.


Build	**Stainless Steel**
Unit Length	**3,650mm**
Unit Width	**2,300mm**
Unit Height	**2,398mm**
Internal Height	**1,990mm**
Internal Width	**2,130mm**
Net Weight	**1,675kg**

AVERAGE FUEL SPEND CUT BY PER WEEK* **20 litres**

CO2 EMISSIONS CUT BY AN AVERAGE OVER A YEAR* **2787 kg**

33% AVERAGE REDUCTION IN GENERATOR USAGE*







20ft Towable Welfare Unit (13 Person)

The unit can accommodate up to 13 people. The single axle design makes it easy to transport and meets all of the HSE welfare on-site standards. Power is provided by the integrated silenced hybrid diesel generator. Built in charging slots for USB devices.

Weekly servicing of the toilet is included in the hire rate.

Build	**Stainless Steel**
Unit Length	**6,248mm**
Unit Width	**2,300mm**
Unit Height	**2,398mm**
Internal Height	**1,990mm**
Internal Width	**2,130mm**
Net Weight	**2,780kg**

AVERAGE FUEL SPEND CUT BY PER WEEK* **35 litres**

CO2 EMISSIONS CUT BY AN AVERAGE OVER A YEAR* **4877 kg**

58% AVERAGE REDUCTION IN GENERATOR USAGE*











Mobile CCTV Scouts

Protect your property with the Mobile CCTV Scout, the ultimate security solution featuring advanced 360° motion detection and video verification for precise asset protection. Embrace sustainability with its solar-powered design, reducing environmental impact while ensuring reliable operation. This CCTV option offers efficient solar power, rapid deployment, visible deterrence, and effortless mobility, providing top security for your site.

Camera Detection Range	**Lead Acid**
Type of Detection	**45kVA**
Internet Connection	**400/230V**
Power Supply	**50Hz**
Lights	**LED - Green**
Dimensions	**53kg/134cm height**





Mobile CCTV Tower Greenlight

The innovative Mobile CCTV Tower GreenLight is the ultimate solution for intruder prevention and detection. With a camera detection range of up to 100 meters and a reliable 230V power supply with a 48-hour backup battery, GreenLight provides robust security coverage. Ideal for various applications, including construction sites and parking areas, it not only prevents unauthorized access but also enhances the likelihood of capturing intruders.

Camera Detection Range	**Maximum 100m**
Type of Detection	**Video analysis for reliable detection**
Internet Connection	**Integrated secure internet connection**
Alarm Follow Up	**24/7 connection with our emergency centre**
Lights	**Standard green, optional white or IR**
Required Space	**2.5m x 2.5m**
Dimensions	**520kg/6.2m height**





Mobile CCTV Tower Solar

Ensure your construction site stays secure with the Mobile CCTV Tower Solar. This eco-friendly, CO2-neutral surveillance system operates without a power supply, using solar panels and a methanol fuel cell for continuous monitoring. Even in bad weather, the built-in backup ensures uninterrupted protection. Ideal for remote projects, it guarantees reliable security with 24/7 emergency response, so your project stays on track regardless of the conditions.

Camera Detection Range	**Maximum 100m**
Type of Detection	**Video analysis for reliable detection**
Internet Connection	**Integrated secure connection**
Power Supply	**Fuel cell, 3 solar panels and 48-hour back-up battery**
Alarm Follow Up	**24/7 connection with our emergency centre**
Lights	**Standard IR LED or none**
Required Space	**2.5m x 2.5m**
Dimensions	**725kg/6.64m height**





Welfare Service

Balloo can offer a range of emptying and refilling options for your toilet blocks, effluent tanks & non-portable water tanks either on hire from us or your own equipment. We offer this service for construction sites & events.

Balloo has a fleet of welfare tankers ranging from 3.5ton to 18ton all of which can empty your chemical toilet, welfare units & effluent tanks when required. The service can be scheduled on a regular basis or at booked 48hours notice.

Our 18ton tankers can deliver up to 1000Litres of clean, non-potable (not for drinking) water at any one time and collect up to 9000Litres of effluent tank waste at once. Alternatively our 26ton lorries can deliver up to 8000Litres of non-potable water in one delivery.

Balloo operate in accordance with the Northern Ireland Environment Agency & hold a valid Waste Licence Certificate.

We strive to ensure that our tanker fleet meets the latest health, safety and environment regulations, with Balloo being a full member of the PSE (Portable Sanitation Europe) Ltd.

PORTABLE SANITATION EUROPE LTD
PSE







Balloo Sustainability Showcase

We were delighted to be able to host a very special eco-friendly machinery event that took place at the iconic Belfast Harland and Wolff.

In continuing to lead on the zero emission efforts across the Northern Ireland hire industry, we carefully curated our sustainable awareness showcase to highlight innovative and eco-friendly hire equipment that can help reduce carbon emissions in our environment.


Our team took the opportunity to introduce a wide variety of environmentally friendly machinery designed to minimize environmental impact while maximizing productivity. The highlight of the event included a range of electric and hybrid-powered tools and machinery that are setting new standards for construction sites aiming for greener solutions.

The showcase event was a resounding success, demonstrating that sustainable practices and high-performance construction can go hand in hand. Whether you're looking for electric excavators, solar-powered lighting towers, or hybrid machinery, Balloo Hire has a solution to meet your environmental goals while maintaining high efficiency on site.

To learn more about Balloo Hire's eco-equipment range and book a demo, visit our website at www.balloohire.com or contact the team today.

Embrace the future of construction with eco-friendly solutions that make a positive impact on both your project and the environment.







Balloo

www.balloohire.com

Hire Centres

a Briggs Equipment company

We are on your doorstep!

Located across 7 Local Depots.



Special Weekend Rates Available!

GET A FREE QUOTE TODAY!

0800 1 970 970

Scan to visit the Balloo Hire Website

Nutts Corner Depot
72A Nutts Corner Road
Crumlin, Co.Antrim
BT29 4SJ

T (028) 9447 0362
E nuttscorner@balloohire.com

Bangor Hire Centre
21 Balloo Drive
Bangor, Co.Down
BT19 7QY

T (028) 9145 4457
E bangor@balloohire.com

Ballyclare Hire Centre
85 Templepatrick Road
Ballyclare, Co.Antrim
BT39 9RQ

T (028) 9334 0137
E ballyclare@balloohire.com

Omagh Hire Centre
168 Doogary Road,
Omagh, Co.Tyrone
BT79 0HF

T (028) 8075 8298
E omagh@balloohire.com

Dungannon Hire Centre
71 Mullaghmore Road
Dungannon, Co.Tyrone
BT70 1RB

T (028) 8772 2429
E dungannon@balloohire.com

Belfast Hire Centre
31 Sydenham Road
Belfast, Co.Antrim
BT3 9DH

T (028) 9045 8080
E belfast@balloohire.com

Lisburn Hire Centre
Ballinderry Road
Lisburn, Co.Antrim
BT28 2SA

T (028) 9266 8886
E lisburn@balloohire.com